

How to print and fold Stoneridge SE5000 QuickGuide

This issue revised: 2006-09-07

Corresponding QuickGuide and Tachograph Version:

- QuickGuide 9000-101660/xxR01 is valid for tachograph rev 5.
- QuickGuide 9000-101659/xxR01 is valid for tachograph rev 6.

The quickguide contains both the basic functions overview, and the manual entries procedure.

3a You have started present working day with no driver card inserted. Manual entries must be done.

3b You have finished last working day with no driver card inserted. Manual entries must be done.

3c You have finished last working day AND started present working day with no driver card inserted. Manual entries must be done.

Modify manual entries

Modify your recently made manual entries:

- Change
- Delete
- Add (new entry is inserted BEFORE the selected activity)

Activity recording

All activities performed during a working day must be recorded on your driver card.

Manual entries

Manual entries of activities must be done if you have performed activities without your driver card inserted.

Insert card

To open driver card tray, press and hold [E]. To open co-driver card tray, press and hold [E].

Insert the driver card with the chip facing upwards.

Select activity

To select activity, short press [F] for driver or [E] for co-driver.

Available Rest Work Drive Drive is selected

When vehicle moves Automatically only

UTC time (Universal Time Coordinated)

The data stored and the time displayed in the tachograph is always in UTC time.

The local time is only shown as information:

- On driver standard display.
- At manual entries of activities.

Withdraw card

To open driver card tray, press and hold [E]. To open co-driver card tray, press and hold [E].

Select present country and press [E].

Replace print paper

User scenarios

1. New working day with no previous activities. No need for manual entries.
2. Continuous present working day, but your driver card has not been inserted for a period. Manual entries must be done.
3. Started present working day with no driver card inserted. Manual entries must be done.
4. Finished last working day with no driver card inserted. Manual entries must be done.
5. Finished last working day AND started present working day with no driver card inserted. Manual entries must be done.

Exit manual entries procedure:

- Begin driving.
- Press and hold [E].
- Insert or withdraw a driver card.
- Do not interact with the tachograph for one minute.
- Accept with [E] the tachograph default times (only set based on last driver card withdrawn and insertion time).

Legend

Display

- Work
- Rest
- Available
- Driving (can not be selected manually)
- D= Start time for an activity (UTC time)
- D= End time for an activity (UTC time)
- D= Start time for an activity (local time)
- D= End time for an activity (local time)
- Manually entered activity, usually
- Manually entered activity, when modifying
- Yes
- No


Buttons

- Insert press: Change activity for the driver.
- Press & hold: Open driver card tray.
- Short press: Change activity for the co-driver.
- Press & hold: Open co-driver card tray.
- Short press: Confirm. Proceed in entry 019, 020,...
- Press & hold: Add / Delete entry 019, 020,...
- Sequence of 'short press' in a display.
- Short press: Back in display for entry 019, 020,...
- Press & hold: Quit and proceed to operational mode.
- Increase parameters: Select activity.
- Decrease parameters: Select activity.


Do as follows to print and fold the quickguide:

1. Open the pdf-file in Acrobat Reader [file\open]
2. Open the Print dialogue [file\print]
3. In the [Printer] frame, choose a printer that can print:
 - Color
 - Paper size A3 (210 x 420 mm).
 - Double sided (If only single sided option is available, print out on two papers and fit together, for example using tape or staples).


In this example the printer [...\BROPRN032PS] is chosen.




4. Again in the [Printer] frame, now click on button [Properties] .




5. The document properties dialogue is shown.
In the [Paper/Quality] tab, in the [Paper option] frame, choose [Size is = A3].




6. Still in the document properties dialogue, choose the [Finishing] tab. In the [Document options] frame, fill in tic boxes:
- [Print on Both Sides]
 - [Flip Pages Up], to have the quickguide in- and outside in the correct position on respective side of the A3 paper (see preview to the right in this dialogue).




7. Still in the document properties dialogue, Choose the [Color] tab. In the [CMYK Inkset Emulation] frame, choose [Euroscale].




8. Click [OK] button to confirm all your settings in the document properties dialogue.




9. Back in the Print dialogue, in the [Page handling] frame:
- Choose [Page scaling = Shrink large pages].
 - Fill in Tic box Auto-Rotate and Center].



10. In the [Preview] frame, you now can see that the quickguide fits on the A3 paper, zoom factor 81%.




11. Click [OK] button to print the quickguide.



12. Fold the quickguide:

- before cutting away the oversized paper.
- to the shape of an accordion.




To fold, follow the fold marks on the A3 paper, just outside the quickguide area.


The fold marks on the front and back side of the paper should be in the same position. However, due to the precision of Your double side printer, there might be a slight deviation (+/- 1 mm).

NOTE!

The right most page with the heading [Digital Tachograph SE5000 QuickGuide] is the front cover...



...and the right most page with the heading [Legend] is the back cover:



13. Finally, cut the oversized A3 paper spillage away:

- Unfold the Quickguide.
- To cut, follow the the cut marks on the A3 paper in the corners, just outside the quickguide area.

3a You have started present working day with no driver card inserted. Manual entries must be done.

3b You have finished last working day with no driver card inserted. Manual entries must be done.

3c You have finished last working day AND started present working day with no driver card inserted. Manual entries must be done.

Modify manual entries

Modify your recently made manual entries:

- Change
- Delete
- Add (new entry is inserted BEFORE the selected activity)

⚠️ **Manual entries performed at previous driver card insertion can not be modified.**

Change recently made entries

Delete manually made entries

Add more entries

Insert card

To open driver card tray, press and hold **[C]**.
To open co-driver card tray, press and hold **[C]**.

Insert the driver card with the chip facing upwards.

Select activity

To select activity, short press **[C]** for driver, or **[C]** for co-driver.

Available Rest Work Drive Drive is selected:
 When vehicle moves
 Automatic only

For more information about Digital Technograph, contact
 Techno and Data Management Systems, please contact
 Dataservice on +31 (0) 471 847 010.

Digital Technograph SE5000
QuickGuide